

Index to the British Simuliid Group Bulletins

Nos. 21 to 32 (2003-2009) including supplements

Compiled by R. W. Crosskey

A hard copy index to the contents of the British Simuliid Group Bulletins 1-20 (May 1992 to June 2003) was issued with Bulletin 20 in 2003. The index here provided carries the indexing forwards to cover Bulletins 21-32 (December 2003 to July 2009). The two Supplements that have so far been issued (with No. 27 relating to the International Symposium at Novi Sad and No. 31 relating to the International Symposium at Vilnius) are indexed as integral parts of the Bulletins. As previously, indexed items are presented in four sub-set indexes viz. to topics, blackfly scientific names, other organism names and author names. The last was earlier called Contributor Index but is now called Author Index in light of the fact that the entries derive largely from the abstracts of the symposia and not from contributions to the B.S.G. Bulletins per se.

For each entry in the index the Bulletin issue numbers are given first, followed by the relevant page(s) in parentheses; when the same indexed item occurs in separate articles within an issue the page references are separated by a slash (/). Supplement is rendered simply as 'S' suffixed to the Bulletin number, thus 27S for the Novi Sad symposium and 31S for the Vilnius symposium.

Contents

Topics....1 Scientific Names....7 Other Organism Names....13
Contributors....14

Topic Index

Aerial blackfly control	in Spain, 28(22)
Serbia, 31S(6)	in Tanzania, 31S(20)
USA (Pennsylvania), 31S(19)	in USA, 27S(28-29)
Aggregations, larval, 23(16-17)	in Venezuela, 23(6)
Algonquin Park 1962 recalled , 32(15)	Simulium damnosum biting rates, 23(14)
Amber, blackfly in, 23(17)	Simulium damnosum s.l., East Africa, 23(10)
Annobón, blackflies absent, 21(9)	Armenia
Annual Transmission Potential (ATP), 26(2)	blackfly biodiversity, 23(21)
Anthropogenic effects, 23(7)	predation on blackflies in, 23(16), 27S(26-27)
Anthropophily	species composition of fauna, 23(19-20)
in Brazil, 27S(7)	Austria, "Waldviertel" fauna, 31S(4-5)
in Germany, 27S(27)	
in Italy, 27S(20)	
in Poland, 27S(30)	
in Serbia, 27S(16-17/21-22)	

- Baktoculicid, use as larvicide, 29(3)
- Balkans, blackfly fauna, 31S(17)
- Baltic States, overview of fauna, 31S(32)
- Barcodeing (BACs), 25(6), 31S(20/21)
- Belgium, Semois river sampling, 27S(18-19)
- Berchtesgaden (Germany), *Simulium lamachi* at, 23(24-25)
- Bioko (Gulf of Guinea), 23(5)
- Biological control, *Cardiocladus oliffi* potential use, 27S(24-25)
- Bionomics, general, *Simulium nigrum*, 25(9-12)
- Biting habits
- activity, 31S(19)
 - bloodfeeding, 31S(19)
 - periodicity, Amazonia, 23(6)
- Black-Fly Conference, Algonquin 1962, photograph, 32(16)
- Blandford fly (*Simulium posticum*), 27(5-14)
- Bougainville Island, blackflies in, 22(6-8)
- Bovine onchocerciasis, Cameroon, 23(14)
- Brazil, subgenus *Inaequarium*, 27S(7)
- Britain
- Blandford fly (*Simulium posticum*) in, 27(5-14)
 - British Simuliid Group history, 27S(6)
 - history of blackfly research in, 23(15-16)
 - predation by Diptera in, 23(15-16)
- British Simuliid Group, history first 25 years, 21(3-5)
- Bti (*Bacillus thuringiensis israelensis* = H14), larvicide use,
- algae affecting efficacy, 31S(18)
 - in Bioko (Equatorial Guinea), 31S(11)
 - in Galapagos, 21(13-14)
 - in Germany, 27S(27)
 - in Lithuania, 29(3), 31S(27)
 - in Serbia, 27S(29, against *Simulium ornatum*), 31S(6)
 - in USA, 27S(27)
 - against *Simulium jenningsi* group,
- 31S(19)
- Cameroon
- Mount Cameroon, 21(9)
 - onchocerciasis in, 23(14), 27S(15-16)
 - Canary Islands
 - in Gomera island, 23(22)
 - in La Palma island, 31S(7)
- Carpathian Mountains
- blackfly fauna of, 27S(8/9)
 - forest stream blackflies in, 23(7)
- Cattle
- death from blackfly attack, Germany, 25(10)
 - subject to *Simulium chutteri* attack, 31S(23)
- Caves, habitat of *Anopheles faini*, 32(9)
- Checklists
- Baltic States, 31S)(32)
 - Finland, 29(9-15)
 - Turkey (announcement only), 27S(16)
 - Ukraine, 31S(30-31/36)
 - World Inventory announcements, 22(5-6), 30(13)
- Cheesman, L.E., appreciation with portraits, 26(12-21)
- Chlamydia, suspected blackfly transmission, 31S(23)
- Christmas card, cartoon, 24(3)
- Chromosomes, 27S(6)
- cytotaxonomy, atlas for Palaearctic species, 31S(28)
 - karyotypes, survey of, 23(23-24)
 - microdissection, 25(5-6)
 - Simulium sirbanum*, in Nigeria, 28(18-19)
 - triploidy, 27S(6)
- Circadian rhythms, Amazonian spp., 23(6)
- Colombia, in Travellers' Tales, 24(7-8)
- Control, of blackflies
- in Bioko (Equatorial Guinea), 31S(11/12)
 - in Galapagos, with Bti, 21(13-14)

- in Lithuania, 29(3)
in Serbia, 31S(6)
in Tanzania, 31S(20)
in USA (Pennsylvania), 31S(19)
'intermittent eradication', 24(2)
Simulium buissoni ('no-no'), attempted eradication, 26(18)
Simulium damnosum s.str., Uganda, 24(2)
Simulium jenningsi group, 31S(19)
Simulium thylense, 31S(20)
Simulium yahense 'Bioko' form, 31S(11/12)
use of Bakto culicid/VectoBac, 29(3), 31S(6)
using temephos, 31S(20)
Cytology: see chromosomes
Dalmat, Herbert T.
list of described species, 26(11-12)
publications list, 26(10-11)
obituary and tribute, 26(3-10)
Danube blackflies
influence of river barrage, 23(7)
outbreaks, *Simulium erythrocephalum*, 27S(21-22)
overview of, 27S(8-9)
photograph, 32(14)
publication on notified, 30(13)
taxonomic questions about, 27S(9)
DDT insecticide, use in Nigeria, 30(10-12)
Death notices
Copeman, Bruce, 26(22)
Davies, Douglas, 29(1)
Davies, Lewis, 27(1)
McCrae, Angus, 23(1)
Peterson, R.V., 26(22)
'Definition' of blackfly, 25(17)
Development, *Simulium nigrum*, 25(9-12)
Distribution
eggs of *Simulium nigrum*, 25(11)
in Finland, 23(8-9)
in Gomera island (Canaries), 23(22)
in Novi Sad area (Serbia), 21(6-7)
of larvae, Lithuanian rivers, 23(3), 27S(24)
Europe Central, at high altitudes, 23(9)
Europe NW, *Simulium petricolum*, 23(13)
larval, rivers of West Tuva, 31S(31-32)
macroinvertebrates in Western Ghats (India), 31S(29)
North America, 27S(21)
Siberia, relation to changing environment, 31S(18)
Simulium posticum in Britain, 27(5-14)
DNA (molecular taxonomy)
DNA barcoding, 25(6-7), 31S(20/21)
DNA BAC library, 29(2), 31S(21)
Genoma Project, 24(6-7), 27(3-4), 29(2), 31S(20)
ISSR profiles, 23(12), 27S(8)
Duke, B.O.L., obituary, 26(2-3)
Economic impact, USA, 27S(28)
Ecuador, *Simulium exiguum* vector in, 21(14-18)
Estonia, simuliids in, 31S(32)
EST Project, 27(3-4)
Ethiopia, *Simulium damnosum* s.l. in, 23(10), 25(14)
Fennoscandia
distribution in, 31S(16-17)
identification (CD-ROM), 31S(16-17)
new species synonymies, 31S(16-17)
Fain, A., portrait, 32(7)
Finland, 27S(12)
blackfly conservation status, 27S(12)
checklist, 29(1, 9-15)
faunal study, 23(8-9)
mating swarms observed, 31S(29)
Fossil blackflies, amber, 23(17)
Fountaine, Margaret, 31(8-10)
Galapagos Islands, 21(13-14)
Genome Project, 24(6-7), 27(3-4), 29(2), 31S(20)

Germany	adult fly trapping, 27S(19) new key to blackfly fauna, 30(14) ivermectin, use in Cameroon, 23(14) Jammback, H.A., portrait, 30(5) Kachvoryan, E.A., portrait, 32(3-5)
Oder river studies, 27S(23)	Larval studies gut (what happens in?), 31S(21-22) marking, Methylene Blue, 27S(20-21) pathogens, North America, 31S(26) sampling, 27S(18-19) spatial ecology, 27S(21)
predation on blackflies, 23(16)	
water management, 27S(23)	
water-mites on blackflies, 23(
Gulf of Guinea, blackfly endemism, 21(9-10)	
Guyana, simuliids in, 21(7)	
Habitat	
Simulium Sites, <i>S.colombaschense</i> , R. Danube 32(14)	
Histories	
blackfly research in Britain, 27S(6)	
British Simuliid Group, 27S(6)	
European symposia, 27S(5)	
historical literature, Northern Europe, 23(13-14)	
International symposium (Berlin), 27S(5)	
Honorific names in blackflies, 31(5-6), 32(11-13)	
Hungary, faunal survey in, 31S(26)	
Identification	
Fennoscandia, announcement of CD-ROM, 31S(16-17)	
Italy, announcement of key, 30(14)	
larval, by digital key, 23(4)	
India, Simulium in Western Ghats, 31S(29)	
International Symposia Reports	
1st, Berlin, 23(2)	
2nd, Novi Sad, 27(1-2) [see B.S.G. Bulletin 27 (Supplement)]	
3rd, Vilnius, 31(3-4) [see B.S.G. 31 (Supplement)]	
Inventory, world blackflies	
First web version announced, 22(5-6)	
Revision dated 2008 announced, 30(13)	
Ireland, work on blackflies in, 21(20-21)	
ISSR profiles in taxonomy, 23(12), 27S(8)	
Italy	
	Latvia, simuliids in, 31S(32/33)
	Lithuania, 23(3/18), control of pest species, 29(2-3), 31S(27) simuliid fauna, 29(2-4), 31S(32)
	Livestock, blackfly attacks on, 25(10), 31S(23-24)
	'Macbeth' quotation from, 30(10)
	Macrofilaricides, need for, 23(14)
	Malawi, <i>Simulium damnosum</i> s.l., 23(10)
	Marquesas Islands, 26(12-21)
	Mating
	<i>Simulum lineatum</i> , 23(18)
	Swarms observed, Finland, 31S(29)
	Mectizan (= ivermectin), use in Cameroon, 23(14)
	Meeting Reports, British Simuliid Group
	25th (2003, Natural History Museum, London), 21(2-3)
	26th (2004, Berlin), 23(2)
	27th (2005, Oxford University Museum), 25(2-5)
	28th (2007, Oxford University Museum), 29(1,5 (portraits)
	29th (2008, Vilnius, Lithuania) 31(3-4)
	Meeting Reports, International
	See International Symposia Reports
	Melville, Hermann, book 'Typee', 26(18)
	Mexico
	onchocerciasis transmission, 27S(14-15)

Simulium ochraceum oviposition	Stone, A., 22(9-10)
Mini-Biographies	OCP (Onchocerciasis Control Programme, West Africa), 21(10)
Examples of, 31(6-8)	Jamnback and, 30(3)
Idea of, 31(1/5-6)	'Ode to a personal computer' ('Trivia'), 25(16)
Berner, L., 32(11)	Oder River (Germany), Simulium nigrum, 25(9-12)
Buckley, J.J.C., 32(11-12)	Onchocerciasis
Hargreaves, H., 32(12)	animal Onchocerca, 27S(13/16)
Hesse, A.J., 32(12)	blindness patterns, 21(10-12)
Noeller, W., 31(6)	eradication feasibility, 23(14)
Schouteden, H., 31(7)	Onchocerca-Simulium complexes, 21(11-12), 26(2), 27S(16)
Schwetz, J., 32(13)	Simulium exiguum vector competence, 21(14-18)
Tömösváry, Ö., 31(6-7)	transmission by Simulium damnosum
Vargas, D.L., 32(13)	'Bikoro', 23(5)
Wood, R.C., 31(7-8)	transmission by Simulium damnosum s.l., Cameroon, 27S(15-16)
Molecular taxonomy, see DNA Entries	transmission by Simulium ochraceum, 27S(14-15)
Morphology	transmission potentials, Cameroon, 23(14)
antennal sensilla, 31S(23-24)	ORSTOM, in Marquesas, 26(18)
ecomorphology, S27(11)	Oviposition
tarsal claw form, 27S(13)	of Simulium nigrum, Germany, 25(11)
Nearctic/Palaearctic fauna overview, 23(2)	of Simulium ochraceum s.l., Mexico, 21(18-20)
Neotropical region	of Simulium vittatum IS-7, USA, 27S(25)
blackfly systematics in, 31S(13)	Pacific islands, 26(12-21)
Inaequalium revision, 27S(6-7)	Palaearctic Region
New Hebrides (Vanuatu), 26(13,19-21)	polytene chromosome atlas, 31S(28)
Nigeria	simuliid phylogeny, 31S(34-35)
Simulium Control Scheme, 30(10-13)	Pathogens, of larvae, North America, 31S(26)
Simulium sirbanum in, 28(17-21)	Pest species
No-no (Simulium buissoni) in Marquesas, 26(12)	Lithuania, 29(2-3)
North America	South Africa, 31S(23)
Monograph (Adler et al. 2004)	
announced, 22(4-5)	
Obituaries	
Davies, L., 28(2-8, 11-16, portraits)	
Downes, J.A., 22(8-9)	
Fain, A., 32(5-10)	
Fallis, A.M., 21(22)	
Fredeen, F.J.H., 21(22-23)	
Jamnback, H.A., 30(2-5, portrait)	
Kachvoryan, E.A., 32(3-5)	
McCrae, A.W.R., 24(2-3)	
Rühm, W., 21(22)	

- Pheromones, in precopulatory behaviour, 31S(22)
- Phylogeny
Simuliinae in Palaearctic, 31S(34-35)
- Simulium damnosum s.l., evolution 25(13-15)
- Pied Flycatcher (*Ficedula hypoleuca*), breeding, 31S(34)
- Poland
larval habitat quality, 31S(10)
outbreaks (mass occurrences), 27S(30)
- Polynesia, blackflies in, 26(12-21)
- Pomeroy, Arthur W.J., 31(8-10)
- Portraits, of simuliidologists
at BSG meeting, September 2007, 29(5)
- Davies, L., 28(12-13)
- Fain, A., 32(7)
- Jamnback, H.A., 30(5)
- Kachvorian, E.A., 32(4)
- Predators, on blackflies
in Armenia, 23(16), 27S(26-27)
in Germany, 23(16)
in USA, 23(16)
Diptera, 21(8), 23(15-16), 27S(26-27), 31S(25)
spiders, 27S(26)
Trichoptera, 27S(26)
- Principe, *Simulium dentulosum* in, 21(9)
- Publications lists
Dalmat, H.T., 26(10-11)
Davies, L., 28(8-11)
McCrae, A.W.R., 24(4-5)
- Pupal gills, variation in *Prosimulium rufipes*, 23(15)
- Raiatea (Society Islands), 26(16)
- Rearing, University of Georgia colony, 27S(25/27-28)
- Rift Valley Fever virus, 31S(23)
- River management/regulation effects
Europe, 31S(9)
Germany, Oder river, 27S(23)
Sweden, 23(12), 31S(34)
- Sao Tomé, new species recognized in, 21(9)
- 'Scourge of the Pacific', 26(12-21)
- Serbia, blackfly fauna Novi Sad area, 21(6-7), 23(7)
- Sheep, blackflies implicated in Chlamydia infection, 31S(23)
- Siberia, larval distribution, West Tuva 31S(31-32)
- Simuliid Sites
R.Danube at "Iron Gate". 32(14)
- Slovakia, 27(8)
Hron river system spp., 31S(5)
habitat gradient, 27S(22-23)
Prosimulium rufipes in, 23(15)
- Society Is, blackflies in: see Craig 26(12-21)
- South Africa
Dipteran predators in, 31S(25)
livestock pest in, 31S(23-24)
S. chutteri, antennal sensilla, 31S(23-24)
- Spain, bloodsucking blackflies in, 28(22)
- Speciation, 27S(6)
- Species status, assessment of, 31S(12-13)
- Sweden
Pied Flycatcher breeding, 31S(34)
river regulation effects, 23(12-13)
- Tahiti, 26(12,16)
- Tanzania
Simulium damnosum s.l., 23(10), 25(14), 31S(20)
Simulium thylolense, cytotaxonomy, 31S(20)
- Taxonomy
Boreosimulium, 27S(10)
ISSR, use at species level, 23(12)
Inaequalium review, 27S(6-7)
Neotropical region, 23(8), 27S(6-7)
Northern hemisphere fauna, 27S(6)
Simulium maximum, 23(11)
Simulium variegatum group, 27S(7-8)
Taeniopterna, 27S(10)

- Trapping, use of C02
 - in Italy, 27S(19)
 - in Serbia, 21(6), 23(6)
 - in Sweden, 31S(16)
- Travellers' Tales
 - La Sierra de la Macarena (Colombia), 24(7-8)
 - M. Fountaine meets A. Pomeroy, 31(8-10)
- Trichomycete symbionts, *Smittia culisetae* development, 27S(26)
- Type material, *Stegopterna* revision, 31S(14-15)
- Tübingen (Germany), water-mites in area, 23(22)
- Turkey
 - checklist announcement, 27S(16)
 - environmental relations, 27S(17-18)
 - faunal overview, 31S(17/30)
- Uganda, *Simulium damnosum* s.l., 25(14)
- Ukraine
 - fauna of southeastern part, 31S(35-36)
 - species checklist, 31S(30-31) USA, USA,
- predation on blackflies, 23(16)
- Vanuatu (New Hebrides), 26(13,19-21)
- Vectobac 12AS larvicide (see also Bti), 27S(25), 29(3), 31S(6/27)
- Vector competence, *Simulium exiguum*, Ecuador, 21(14-18)
- Venezuela
 - anthropophily in, 23(6)
 - biting periodicity, Amazonia, 23(6)
- Vernacular Names Project, 23(19), 28(1), 29(6-7)
- Water-mites, on pupae and adults, 23(22-23)
- Water quality/pollution
 - European rivers, general, 25(10), 31S(9)
 - German rivers, 23(22/23)
 - Polish rivers, 31S(10)
- World perspective on blackflies, 31S(4)
- Yule, Catherine (Cathy), studies in Bougainville, 22(6-8)
- Zoophily, *Simulium damnosum* s.l., 27S(13)

Blackfly Scientific Names Index

- Ahammophaga*, 23(24)
- Archesimulium*, 31S(35/36)
- Argentisimulium*, 31S(28/35/36)
- Boophtthora*, 31S(4/28/30/32/35/36)
- Boreosimulium*, 27S(10)
- Byssodon*, 31S(30/34/36)
- Cleitosimulium*, 31S(35)
- Cnephia*, 31S(30/34)
 - C. andrei*'sp.n.', 31S(36)
 - C. eremites*, 29(14)
 - C. intermedia*, 31S(17)
 - C. lapponica*, 31S(36)
 - C. pallipes*, 29(14), 31S(30)
 - C. toptchievi*, 31S(30)
- Cnesiamima*, 31S(13)
- Cnetha*, 31S(28/30/34/36)
- Distosimulium*, 27S(10)
- Ectemnaspis*, 31S(13)
- Ectemnia*, 23(17)
 - E. cerberus*, 23(17)
- Ectemniini*, 31S(30/34)
- Edwardsellum*, 27S(13)
- Eusimulium*, 27S(12), 31S(28/32/30/34/36), 32(17)
- Gnus*, 31S(28/35)
- Gomphostilbia*, 31S(34)
- Greniera*, 23(17), 31S(34)
 - G. affinis*, 23(17)
 - G. importuna*, 23(17)
 - G. ivanovae*, 29(10,14)
 - G. pulchella*, 23(17)
- Gymnopaedini*, 31S(30)

- Gymnopais*, 27S(10)
Hearlea, 31S(13)
Hellichiella, 27S(10), 29(10), 31S(32/36)
 H. latipes, 31S(36)
 H. oligocenica, 23(17)
Helodon, 23(24), 27S(10), 31S(28/32)
 H. ferrugineus, 29(14), 31S(32)
Hemicnetha, 31S(13)
Inaequalium, 27S(7), 31S(13)
Levitinia, 31S(28)
Lutzsimulium, 31S(13)
Metacnephia, 23(24), 31S(28/29/34)
 M. blanci, 27S(9)
 M. danubica, 27S(9)
 M. korsakovi, 31S(17)
 M. lyra, 23(13), 29(14), 31S(16)
 M. persica, 23(21)
 M. saileri, 29(14), 31S(17)
 M. subalpina, 23(20/21)
 M. tredecimata, 29(14)
 M. trigoniformis, 23(8), 29(12-13)
Metomphalus, 27S(13)
Montisimulium, 23(21), 31S(28/34)
Morops, 22(6-7), 31S(34)
 'Morops 1' (= *S. pangunaense*), 22(7)
 'Morops 2' (= *S. yuleae*), 22(7)
Nevermannia, 31S(29/30/32/34/36)
Nevermanniini, 31S(30/34)
Obuchovia, 31S(35)
Odagma, 23(24), 31S(28/34-35/36)
Parabyssodon, 31S(35)
Paragnus, 31S(35)
Parahelodon, 23(24), 27S(10)
Pedrowygomyia, 31S(13)
Phoretodagmia, 31S(35)
Psilopelmia, 31S(13)
Prosimuliinae, 31S(30)
Prosimuliini, 31S(30)
Prosimulium, 23(24), 27S(10), 31S(28/32)
 P. arctica, 27S(10), *Taeniopterna*
 P. erythronotum, 27S(10), *Taeniopterna*
 P. hirtipes, 23(23), 27S(20), 29(14).
 31S(5/30)
P. isos, 31S(28)
P. kolymensis, 27S(10), *Taeniopterna*
P. korshunovi, 27S(10), *Taeniopterna*
P. latimucro, 23(9) 31S(30)
P. luganicum, 29(14)
P. macropyga, 27S(10), *Taeniopterna*, 29(14)
P. macropyga group, 27S(6)
P. neomacropyga, 27S(10), *Taeniopterna*
P. nigratum, 31S(30) *P. pamiricum*, 31S(28)
P. pecticrassum, 31S(28)
P. rufipes, 23(7/12/15/23), 31S(5/30/32)
P. rachiliense, 23(20)
P. tomosvaryi, 23(7/20), 27S(20), 31(6-7), 31S(5/30)
P. tredecimfistulata, 27S(10), *Taeniopterna*
P. ursina (-um), 27S(10), *Taeniopterna*, 29(14)
P. zaitzevi, 27S(10), *Taeniopterna*
Psaroniocompsa, 23(8), 27S(7)
Psilocnetha, 31S(34)
Psilozia, 31S(4/35)
Rubzovia, 23(24-25)
Schoenbaueria, 23(8), 25(9-10), 31S(32/34/36)
Shelleyellum, 31S(13)
Simuliinae, 31S(31/34-35)
Simuliini, 31S(31/34)
Simulium s.l.,
 S. abbreviatum [sic], 31S(31)
 S. acutiphallus, 31S(31), *Odagma*
 S. acutum, 27S(10), *Boreosimulium*
 S. albifrons, 31S(36), *Odagma*
 S. albivergulatum, 32(8)
 S. alcocki, 21(9)
 S. akopi, 23(20)
 S. amazonicum, 23(8)
 S. amazonicum group, 23(8)

- | | |
|---|--|
| <p>S. andreii 'sp.n.', 31S(36, <i>Wilhelmlia</i>)
 S. angustifurca, 31S(31, <i>Wilhelmlia</i>)
 S. angustimanus, 31S(31, <i>Odagmia</i>)
 S. angustipes, 23(21), 27S(19), 29(14),
 31S(5/32/36). <i>Eusimulium</i>)
 S. angustitarse (-is), 27S(11), 29(14),
 31S(36, <i>Nevermannia</i>)
 S. annuliforme, 27S(10, <i>Boreosimulium</i>),
 31S(17)
 S. annulitarse, 29(14)
 S. annulus, 27S(10, <i>Boreosimulium</i>),
 29(14), 32(17)
 S. annulus group, 27S(10, <i>Hellichiella</i>)
 S. arctium, 27S(10, <i>Boreosimulium</i>)
 S. argenteostriatum, 31S(31,
 <i>Cleitosimulium</i>)
 S. argyreatum (-a), 23(23), 27S(7-8/23),
 29(14), 31S(5), 31S(31, <i>Odagmia</i>)
 S. aropaense, 22(6)
 S. aureofulgens, 23(21)
 S. aureum, 21(6), 27S(23), 29(14),
 31S(36, <i>Eusimulium</i>)
 S. aureum group, 23(13/20/22/23), 29(10)
 S. aureum 'l' (= <i>velutinum</i>), 29(10)
 S. auricoma, 31S(31, <i>Obuchovia</i>)
 S. austeni (= <i>posticatum</i>), 27(5-13),
 31S(36)
 S. australis, 23(20)
 S. auricoma, 23(7)
 S. baffinense, 27S(10, <i>Boreosimulium</i>),
 29(10,14)
 S. balcanicum (-a), 21(6-7), 23(5-6/7),
 31S(5/6/26), 31S/31 and 36, <i>Wilhelmlia</i>)
 S. balteatum, 27S(10, <i>Boreosimulium</i>)
 S. baracorne (-is), 31S(30 and 36,
 <i>Odagmia</i>)
 S. beltukovae, 29(14)
 S. berneroi 32(11)
 S. bertrandi, 27S(23), 31S(5)
 S. bezzii, 23(20), 31S(4), 31S(31,
 <i>Tetismulium</i>)
 S. bergi, 23(20), 31S(31)</p> | <p>S. bicornis, 29(14)
 S. bipunctatum (= <i>ochraceum</i>), 21(13-14)
 S. botulibranchium group, 27S(7)
 S. brevidens, 23(7)
 S. brevifilis, 31S(31, <i>Obuchovia</i>)
 S. bucklei 32(11-12)
 S. bucovskii [sic], 31S(31)
 S. buissoni, 26(12,17-18)
 S. canonicolum, 27S(10, <i>Boreosimulium</i>)
 S. carpathicum (-a), 29(14), 31S(5/17),
 31S(36, <i>Cnetha</i>)
 S. carthusiense (-is), 31S(5), 31S(30,
 <i>Cnetha</i>)
 S. caucasicum (-a), 27S(27), 31S(31 and
 36, <i>Odagmia</i>)
 S. cervicornutum, 21(9-10)
 'Pomeroy' form, 21(9)
 S. cheesmanae, 26(12)
 S. chodakovi, 31S(30, <i>Cnetha</i>)
 S. chubarevae, 23(20)
 S. chutteri, 31S(23-24)
 S. clarkei, 27S(10, <i>Boreosimulium</i>)
 S. clarki, 27S(7)
 S. codreanui, 31S(5), 31S(30, <i>Cnetha</i>)
 S. colombaschense, 23(7), 27S(9/11),
 31S(17), 32(14)
 S. costatum, 21(6-7), 23(7/12), 31S(32),
 31S(30, <i>Cnetha</i>)
 S. crassum, 27S(10, <i>Boreosimulium</i>),
 29(14)
 S. crenobium, 27S(11), 31S(5/12-13),
 31S(30, <i>Cnetha</i>)
 S. cryophilum, 23(7/21), 27S(23), 29(14),
 31S(32/33), 31S(30, <i>Cnetha</i>)
 S. curvans, 29(14)
 S. curvistylus, 29(14), 31S(17/31)
 S. damnosum s.l., 21(11), 23(10/14), 4(2),
 25(5-6/13-15), 26(2), 27S(13/24), 8(19-
 20), 29(2), 30(3), 31S(11/20/21), 32(8)
 S. damnosum s.str., 21(11), 24(2)</p> |
|---|--|

- S. damnosum 'Hamedense', 23(10)
 S. damnosum 'Kaku', 25(13)
 S. damnosum 'Jimma', 23(10)
 S. damnosum 'Kasyabone', 31S(20)
 S. damnosum 'Kibwezi' 23(10), 25(13)
 S. damnosum 'Kulfo' 23(10), 25(14)
 S. damnosum 'Nkusi', 23(10), 27S(13)
 S. danubense, 27S(9)
 S. debacli, 23(20/21)
 S. degrangei, 23(7), 31S(31, Paragnus)
 S. delizhanense, 23(20)
 S. dendrofilum, 29(10,14)
 S. dentulosum, 21(9)
 S. deserticola, 31S(31 and 36, Odagmia)
 S. dogjeli, 29(10,14)
 S. dolini, 31S(31 and 36, Argentisimulum)
 S. duplex (= johannseni), 27S(10,
 Boreosimulum)
 S. elburnum, 31S(17)
 S. emarginatum, 27S(10, Boreosimulum)
 S. equinum (-a), 21(6), 23(12/22/23),
 5(7/11), 27(13), 27S(12/23/24/27),
 29(3-4/14), 31S(5/6/10/19/22-23/31
 and
 36, Wilhelmia)
 S. erythrocephalum (-a), 21(6-7), 23(5-
 6/7), 25(10), 27(13), 27S(11/21-22/
 23/27), 29(3/14),
 31(Supplement)(5/6/19/26/27/30 and
 36, Wilhelmia)
 S. exasperans, 26(16)
 S. exiguum s.l., 21(14-18)
 S. fontium (-a), 23(20), 31S(30, Cnetha),
 32(3)
 S. fontinale, 29(14)
 S. frigidum (-a), 29(14), 31S(31 and 36,
 Odagmia)
 S. ganalesense, 23(8)
 S. garniensis 32(3)
 S. geigelense (as geigelense), 31S(30,
 Cnetha)
 S. guianense s.l., 21(7), 23(6)
 S. guimari, 23(22)
 S. hargreavesi, 32(12)
 S. hessei, 32(12)
 S. hibernale, 31S(31)
 S. ibariense, 27S(11)
 S. inaequale, 27S(7)
 S. inaequale group, 27S(7)
 S. incrassatum, 23(6)
 S. intermedium, 23(22), 27S(20), 29(11-
 12,14-15), 31S(31 and 36, Odagmia)
 S. ivanovae, 29(10)
 S. ivashentzovi, 31S(31, Wilhelmia)
 S. jenningsi group, 27S(27), 31S(19)
 S. joculator, 27S(10, Boreosimulum)
 S. johannseni, 27S(10, Boreosimulum)
 S. juxtacrenobium, 29(11,14), 31S(12-13)
 S. juxtadamnosum, 25(14)
 S. kachvorjanae, 31S(31 and 36), 32(3)
 S. kaffaense, 25(14)
 S. karasuae, 31S(31, Obuchovia)
 S. kerteszi, 31S(36, Nevermannia)
 S. kietaeense, 22(6)
 S. kilibanum, 23(10), 25(14), 31S(20)
 S. kiritshenkoi, 23(20), 31S(28)
 S. krymense, 31S(30 and 36,
 Eusimulum)
 S. lamachi, 23(24-25), 27S(11)
 S. latigonia(-um), 31S(30 and
 36, Nevermannia)
 S. latipes, 31S(32), 31S(30 and 36,
 Hellichiella)
 S. latipes auct. = vernum, 31S(36)
 S. lidiae, 31S(30, Cnetha)
 S. liliae 'sp.n.', 31S(36, Wilhelmia)
 S. lineatum (-a), 21(6), 23(7/18/20),
 27S(19/23/24/27), 29(3-4),
 31S(5/10/22-23/27), 31S(30 and 36,
 Wilhelmia)
 S. longipalpe, 31S(31)
 S. lundstromi, 21(6-7), 23(12), 27S(11),
 29(14), 31S(26), 31S/30 and 36,
 Nevermannia)

- | | |
|---|---|
| <p>S. lurybayae, 27S(7)</p> <p>S. luttae 'sp.n.', 31S(36, <i>Nevermannia</i>)</p> <p>S. maculatum (-us), 23(3), 27S(9), 29(2-4), 31S(27), 31S(30, <i>Byssodon</i>)</p> <p>S. malardei, 26(16)</p> <p>S. maranguapense, 27S(7)</p> <p>S. margaritae, 23(20/21)</p> <p>S. margaritatum, 27S(7)</p> <p>S. marinae 'sp.n.', 31S(36, <i>Hellichiella</i>)</p> <p>S. mathiesseni [sic] (= <i>nigrum</i>), 27S(9), 31S(36, <i>Schoenbaueria</i>)</p> <p>S. matthiesseni, 27S(9)</p> <p>S. maximum (-a), 23(11), 27S(7-8), 31S(5), 31S(31, <i>Odagmaia</i>)</p> <p>S. mediterraneum (-a), 31S(36, <i>Wilhelmia</i>)</p> <p>S. mengense, 25(13-14)</p> <p>S. minusculum, 23(8)</p> <p>S. monticola, 23(11/12), 27S(7-8/23), 29(14), 31S(5), 31S(31, <i>Odagmaia</i>)</p> <p>S. morsitans, 23(7/23), 27S(11/24), 29(3-4/12, 14), 31S(5/31/32), 31S(31 and 36)</p> <p>S. murmanum, 29(14)</p> <p>S. neavei, 24(2), 32(8)</p> <p>S. nigrum (-a), 25(9-13), 27S(9/27), 31S(19), 31S(30 and 36, <i>Schoenbaueria</i>)</p> <p>S. nitidifrons, 31S(36, <i>Odagmaia</i>)</p> <p>S. noelleri, 21(8), 23(7/16/20/21), 27S(11/24/27), 29(14), 31(6-7), 1S(32), 31S(31 and 36, <i>Argentisimulum</i>)</p> <p>S. noelleri 'B', 29(14), 31S(10/26)</p> <p>S. noroense, 22(6)</p> <p>S. ochraceum, 21(13/18-20), 26(2), 27S(14)</p> <p>S. oligotuberculatum, 23(9)</p> <p>S. ornatum s.l., 21(6-7), 23(5-7/12/15/22), 27(13), 27S(20-21/23/24/27/29), 29(3-4/10-12, 14-15), 31S(4/5/10/19/26/29), 31S(31 and 36, <i>Odagmaia</i>)</p> | <p>S. ornatum group, 23(23), 29(10-12), 31S(32)</p> <p>S. oviceps, 26(16)</p> <p>S. oyapockense s.l., 21(7), 23(6/8)</p> <p>S. pandanophilum, 25(13)</p> <p>S. pangunaense, 22(7)</p> <p>S. paraequinum (-a), 23(20), 31S(31, <i>Wilhelmia</i>)</p> <p>S. paramorsitans, 29(14), 31S(31/32/36)</p> <p>S. parmatum, 27S(10, <i>Boreosimulum</i>)</p> <p>S. petricolum, 23(13)</p> <p>S. pitense, 31S(17)</p> <p>S. pontica (-um), 31S(31, <i>Odagmaia</i>)</p> <p>S. posticatum, 25(7), 27(5-14), 29(14), 31S(29/31/36)</p> <p>S. pratora, 31S(31 and 36, <i>Odagmaia</i>)</p> <p>S. promorsitans, 31S(31)</p> <p>S. pseudequinum (-a), 21(6-7), 23(20/22), 25(7), 27S(11/19), 31S(31, <i>Wilhelmia</i>)</p> <p>S. pseudequinum ssp. <i>fluminicola</i>, 27S(20)</p> <p>S. pusillum (-a), 23(8), 29(2/14), 31S(32), 31S(30 and 36, <i>Schoenbaueria</i>)</p> <p>S. quadratum, 27S(10, <i>Boreosimulum</i>)</p> <p>S. raastadi, 31S(30, <i>Schoenbaueria</i>)</p> <p>S. rasyani, 23(10)</p> <p>S. raunsimnae, 22(6)</p> <p>S. reginae, 23(21)</p> <p>S. reptans, 23(7/13/23), 25(10-12), 27S(27), 29(3/14), 31S(5/6/19/27/31/36)</p> <p>S. reptans group, 27S(9/19/20)</p> <p>S. roraimense, 23(8)</p> <p>S. rostratum, 27S(24), 29(4/14), 31S(5/33)</p> <p>S. rothfelsi, 27S(10, <i>Boreosimulum</i>)</p> <p>S. rotundatum (-a), 29(12), 31S(31, <i>Odagmaia</i>)</p> <p>S. rubtzovi, 29(12, 14), 31S(31), S. rugglesi 32(17)</p> <p>S. ruficorne, 23(22)</p> <p>S. salopiensis), 31S(31 and 36, <i>Wilhelmia</i>)</p> |
|---|---|

- | | |
|--|--|
| <p>S. sanctipauli, 27S(13), 28(20)</p> <p>S. sanctipauli, 'Djodji' form, 21(11)</p> <p>S. sanguineum, 23(8)</p> <p>S. schoutedeni, 31(7)</p> <p>S. schwetzi (32(13)</p> <p>S. securiforme (-is), 31S(30 and 36,
Eusimulium)</p> <p>S. semushini, 31S(36)</p> <p>S. sericata (= erythrocephala), 31S(36,
Boophthora)</p> <p>S. shevtshenkovae, 31S(31 and 36)</p> <p>S. silvaticum, 27S(20)</p> <p>S. silvestre (-is), 29(10,14), 31S(30,
Cnetha)</p> <p>S. simulans, 31S(31)</p> <p>S. sirbanum, 21(11), 28(17-21)</p> <p>S. soubrense, 27S(13)</p> <p>S. squamosum, 21(11), 25(13),
27S(13/16), 28(18), 29(2), 31S(20)</p> <p>S. squamosum 'C', 28(18)</p> <p>S. subexcisum group, 27S(10,
Hellichiella)</p> <p>S. suchomliniae, 31S(30, Schoenbaueria)</p> <p>S. subpusillum (-a), 29(14), 31S(30,
Schoenbaueria)</p> <p>S. tahitiense, 26(16)</p> <p>S. taurica, 31S(30, Cnetha)</p> <p>S. tenericum, 23(22), 31S(7)</p> <p>S. tertia, 31S(36, Wilhelmia)</p> <p>S. thyolense, 23(10), 25(5), 31S(20)</p> <p>S. transiens, 29(14)</p> <p>S. tricrenum, 31S(17)</p> <p>S. trifasciatum, 27S(24/27), 31S(10)</p> <p>S. truncatum, 29(10,14), 31S(31 and 36)</p> <p>S. tsheburovae, 29(14)</p> <p>S. tuberosum, 29(14), 31S(4/26/29),
31S(31 and 36, Archesimulium)</p> <p>S. tumulosum, 29(14), 31S(17)</p> <p>S. turgaica, 31S(31, Wilhelmia)</p> <p>S. usovae, 29(10-11,14), 31S(17)</p> <p>S. vargasi 32(13)</p> <p>S. variegatum (-a), 23(7/12/20/23), 27S(7-</p> | <p>8/23), 31S(4/5), 31S(31, Odagmia)</p> <p>S. veltistshevi, 31S(31 and 36, Wilhelmia)</p> <p>S. velutinum, 23(22), 27S(20), 29(10,14),
31S(30, Eusimulium)</p> <p>S. venustum, 27(5-6,13), 31S(31/33)</p> <p>S. venustum group, 31S(16)</p> <p>S. verecundum, 31S(31 and 36)</p> <p>S. vernum (-a) s.l., 21(6), 23(7/22),
29(14), 31S(5/32), 31S(30 and 36,
Cnetha)</p> <p>S. vernum 'Dorset IIS-1', 29(14)</p> <p>S. vernum 'Knebworth' = s.str., 29(14),
31S(12-13)</p> <p>S. vernum group, 23(20/23), 31S(12/16),
32(3)</p> <p>S. vittatum IS-7, 27S(25)</p> <p>S. voilense, 27S(9), 31S(31)</p> <p>S. volhynica, 31S(30, Nevermannia)</p> <p>S. vulgare, 29(14), 31S(31, Archesimulium)</p> <p>S. woodi, 31(7-8)</p> <p>S. yahense, 21(9/11), 23(5), 28(20)</p> <p>S. yahense 'Bioko' form, 21(9),
31S(11/12)</p> <p>S. yuleae, 22(7)</p> <p>S. zakharense 32(3)</p> <p>S. zephyrus, 27S(10, Boreosimulium)</p> |
|--|--|
- Simulium s.str., 31S(4/29/32/36)
- Stegopterna, 31S(14-15/34)
- St. acra, 31S(15)
- St. asema, 31S(14/17)
- St. byrrangii, 31S(14)
- St. decafilis, 31S(14)
- St. dentata, 31S(14)
- St. diplomitata, 31S(15)
- St. duodecimata, 31S(14)
- St. emergens, 31S(14-15)
- St. haematophaga, 31S(14)
- St. hamuligera, 31S(14)
- St. longicoxa, 31S(14)
- St. majalis, 31S(14)

St. mutata, 31S(15)	Taeniopterna, 27S(10)
St. nukabirana, 31S(15)	Tetismulum, 31S(35)
St. permutata, 31S(15)	Trichodagmia, 31S(13)
St. trigonium, 29(14), 31S(14)	Twinnia, 23(24), 31S(28)
St. trigonium '2a', 29(14), 31S(30)	T. hydrooides, 23(9), 31S(5/30)
St. tschukotensis, 31S(14-15)	Wilhelmia, 23(20/24), 25(7), 27S(9/12/17), 31S(28/32/34/36)
St. xantha, 31S(15)	Wilhelmiini, 31S(31/34)
Stegopternini, 31S(14/30)	
Striatosimulum, 31S(35)	
Sulcicnephia, 31S(28/34)	

Index of Other Organism Names

Aedes (Diptera), 31S(20)	D. chrysotus, 27S(11)
Anopheles (Diptera), 31S(20)	D. discolor, 27S(11)
Anopheles faini, 32(9)	D. muelleri, 27S(11)
Anthomyiidae (Diptera), 23(15-16)	Dytiscidae (Coleoptera), 21(13)
Asilidae (Diptera), 23(16)	Empididae (Diptera), 21(8), 23(16), 27S(26-27), 31S(25)
Astraptes fulgerator (Lepidoptera, skipper), 25(7)	Ephemeroptera (mayflies), 31(29)
Atrichopogon (Diptera), 32(17)	Ephydriidae (Diptera), 21(8), 23(16)
Batrachium (water-plant), 29(3)	Ficedula hypoleuca (bird, Pied Flycatcher), 31S(34)
Cardiocladus oliffi (Chironomidae), 27S(24)	Glyceria (water-plant), 29(3)
Carex spp. (sedges), 29(10)Qi2	Gyrinidae (Coleoptera), 21(13)
Chaoboridae (Diptera), 21(8), 23(16)	Gyrinus galapagoensis (Gyrinidae), 21(13)
Chironomidae (Diptera), 21(8), 23(16), 27S(24-25), 30(3)	Hemerodromiinae (Empididae), 21(8), 27S(27)
Chlamydia (bacterium), 31S(23)	Heteroptera, 23(15)
Coelomycidium simulii (Fungi), 31S(26)	Hybotidae (Diptera), 21(8), 23(16), 27S(26)
Coleoptera, 31S(29)	Hydrachnidia (water-mites), 23(22-23)
Copelatus galapagoensis (Dytiscidae), 21(13)	Isomermis (mermithid nematode), 31S(21)
Cryptothrix nebulicola (Trichoptera), 27S(11)	Janacekia debaisieuxi (microsporidian), 31S(26)
Culex pipiens (Culicidae), 27S(20)	Leucocytozoon (blood protozoan), 23(13), 31S(23/34), 32(17)
Culicidae (Diptera), 27S(11/26)	Limnophora (Muscidae), 21(8), 23(16), 31S(25)
Culicoides (Diptera), 27S(15), 30(3)	Lispe (Muscidae), 21(8), 23(16)
Diptera (blackfly predators), 23(15-16), 31S(25)	Mansonella (filarial nematode), 31S(23)
Dirofilaria (filarial nematode), 31S(23)	
Dolichopodidae (Diptera), 21(8), 23(16), 27S(26), 31S(25)	
Drusus (Trichoptera), 27S(11)	

Mermithidae (Nematoda), 31S(26)	Ranunculus fluitans (water crowfoot), 27S(18)
Mermis (nematode), 31S(21)	Scathophagidae (Diptera), 21(8), 23(16)
Muscidae (Diptera), 21(8), 23(16), 27S(26-27)	Scenedesmus quadricauda (alga), 31S(18)
Onchocerca (filarial nematode), 23(14), 27S(13/15-16), 31S(23)	Sciomyzidae (Diptera), 23(15)
O. dukei, 27S(13)	Smittium culisetae (Trichomycetes), 27S(26)
O. ochengi, 23(14), 27S(13/16)	Sperchon cf. setiger (water-mite), 23(22-23)
O. volvulus, 23(14), 27S(13/14/16/20)	Spirogyra (filamentous alga, Tahiti), 26(16)
O. sp. 'Siisa', 27S(13)	Tabanidae (Diptera), 30(3)
Ornithodoros moubata (Acari), 32(9)	Toxorhynchites (Diptera), 32(17)
Papilio zalmoxis (Lepidoptera), 32(9)	Trichomycetes (fungi), 27S(26)
Phoridae (Diptera), 21(8), 23(16)	Trichoptera (caddisflies), 21(8), 23(15), 27S(11/26), 31S(25)
Plecoptera (stone-flies), 31S(29)	Trypanosoma (Protozoa), 31S(23)
Polydipspyrenia simulii (microsporidian), 31S(26)	Wolbachia (bacterium), 31S(21)
Potamogeton (water-plant), 29(3)	Xenomyia (Muscidae), 31S(25)

Contributor Index

Abaga, S., 31S(11)	Cadlar (Caglar), S.S. (Selim/Selym), 27S(16), 31S(17)
Achu-Kwi, D. (Daniel), 27S(15-16)	Car, M. (Manfred), 23(4), 27S(5/10-11), 31S(4-5)
Adler, P.H. (Peter), 23(2-3/19-20/21), 27S(6/21/28-29), 29(9-15), 31S(4/16/26), 32(3-5)	Chasiliquin, N. (Nancy), 21(13-14)
Aké, A., 31S(12)	Cheke, R.A. (Bob), 21(10-12), 23(5), 31S(11/12)
Amazigo, U.V., 31S(12)	Chubareva, L. (Lidia), 23(23-24), 31S(28)
Anbalagan, S. (Sankarappan), 31S(29)	Colbourne, J. (John), 31S(20-21)
Baker, E. (Edward), 29(7)	Cortez, J. (José), 23(6)
Barro, T., 31S(12)	Coscarón-Arias, C. (Cecilia), 21(13-14)
Barthelmess, C. (Claus), 27S(27)	Coulibaly, S., 31S(12)
Basáñez, M.-G. (Maria-Gloria), 21(10-12/14-18), 23(6), 25(15)	Craig, D. (Doug), 26(12-21)
Bass, J.A.B. (Jon), 25(9-13), 27(5-14)	Crainey, J.L. (James), 29(2), 31S(21)
Bauzienė, V. (Vilma), 23(18), 31S(22-23)	Crosskey, M.E. (Peggy), 30(10-13)
Bernotiene, R. (Rasa), 23(3/18), 27S(24), 29(2-4), 31S(27)	Crosskey, R.W. (Roger), 21(3-5), 22(6-8), 27(5-14), 27S(6), 31(5-8/8-10)
Boakye, D. (Daniel), 27S(24-25)	Cupina, A.I. (Aleksandra), 21(6-7), 23(5-6), 27(1-2), 27S(16-17/21-22/29), 31S(9)
Brockhouse, C. (Charles), 24(6-7), 27(3-4), 31S(20-21)	
Brown, C. (Charles), 27S(24-25)	
Buda, V. (Vincas), 23(18), 31S(22-23)	

British Simuliid Group Bulletin Index, Nos. 21-32 June 2003

- Davies, J.B. (John), 21(7), 23(19), 24(2-5), 26(2-3/3-12), 27S(6), 28(11-16), 29(6-7), 30(2-5/10-13), 31(1/3-4/5-8)
- Day, J.C. (John), 25(6-8), 27S(11-12)
- Deák, C. (Csaba), 31S(26)
- Deschle, W.E. (Walter), 27S(27)
- Diallo, A., 31S(12)
- Dinakaran, S. (Sundaram), 31S(29)
- Dügel, M. (Muzaffer), 27S(17-18), 31S(30)
- Dusinsky, R. (Roman), 23(12)
- Ekale, D. (David), 27S(15-16)
- Elsen, P. (Pierre), 32(5-10)
- Ertunc, Ö. (Özge), 31S(30)
- Fokam, E. (Eric), 27S(24-25)
- Frontado, H. (Hortencia), 23(6)
- Fuchs, D. (Dale), 28(22)
- Fusco, R.A. (Robert), 31S(6/18/19)
- Geenan, P. (Petra), 23(5)
- Gerecke, R. (Reinhard), 23(22-23)
- Grabovac, S. (Sonja), 21(6-7), 23(5-6), 27S(16-17)
- Gray, E.W. (Elmer), 27S(25/27-28/28-29), 31S(18)
- Grillet, M.-E. (María-Eugenio), 23(6)
- Halgos, J. (Josef), 23(7), 27S(22-23), 31S(5)
- Hall, A. (Alan), 31S(23-24)
- Harutyunova, K.V. (Karina), 23(19-20/21)
- Harutyunova, M.V. (Maria), 23(19-20/21)
- Hernandez Triana, L. (Luis), 21(7), 23(8), 27S(6-7), 29(7), 31S(13)
- Hobololo, V.I. (Vuyisile), 31S(23-24)
- Hunter, S.J. (Stephanie), 25(6-8)
- Illésova, D. (Daniela), 27S(22-23), 31S(5)
- Ilmonen, J. (Jari), 23(8-9), 27S(12), 29(9-15), 31S(29)
- Ipekdal (Ypekdal), K. (Kahraman), 27S(16), 31S(17)
- Jedlicka, L. (Ladislav), 23(9-10), 27S(8-9/9)
- Kachvoryan, E. (Eugenie), 23(2-3/19-20/21)
- Kalinga, A. (Akili), 31S(20)
- Kaplich, V. (Valery), 31S(34-35)
- Kazancı, N. (Nilgün), 27S(17-18), 31S(30)
- Kelly-Quinn, M. (Mary), 21(20-21)
- Kiel, E. (Ellen), 23(23)
- Konjevic, A. (Aleksandra), 21(6-7), 23(5-6), 27S(21-22/29), 31S(6)
- Kotter, H. (Heiko), 31S(6)
- Krno, I. (Ijja), 27S(22-23), 31S(5)
- Krueger, A. (Andreas), 23(10), 25(5-6/13-15), 27S(13), 31S(20)
- Kúdela, M. (Matus), 23(7/11/12), 27S(7-8), 31S(17)
- Kuusela, K.K. (Kalevi), 31S(16-17)
- Lautenschläger, M. (Melanie), 23(23)
- Lechthaler, W. (Wolfgang), 23(4), 31S(4-5)
- Little, K.E. (Kirsty), 21(10-12)
- Little, M.P. (Mark), 21(10-12)
- Lizarazo-Ortega, C., 27S(14-15)
- Lugo-Rodríguez, L. (Liz), 27S(14-15)
- Luna Dias, A.P. (Paulino), 23(8), 27S(6-7)
- Maegga, B.T.A. (Bertha), 23(10), 31S(20)
- Mahaut, T. (Thierry), 27S(18-19)
- Maia-Herzog, M. (Marilsa), 23(8), 27S(6-7)
- Malmqvist, B. (Bjorn), 23(2-3/12-13), 31S(16/34)
- Marinkovic, D. (Dusan), 23(5-6), 27S(21-22/29), 31S(6)
- Markovic, I. (Ivan), 27S(29)
- Marshall, C. (Clare), 21(14-18)
- Martin, P. (Peter), 23(22-23)
- Mas, J. (Jordi), 23(5), 31S(11/12)
- McCall, P.J. (Philip), 21(18-20), 31S(12)
- McCreadie, J.W. (John), 27S(21/26), 31S(26)
- Meyer, R., 31S(11/12)
- Mustapha, M. (Mabintu), 21(9-10), 23(10/13)
- Noblet, R. (Ray), 27S(25/27-28/28-29), 31S(18)
- Noma, M., 31S(11/12)
- Onyenwe, E., 28(17-21)
- Overmyer, J. (Jay), 27S(25/27-28), 31S(18)
- Panchenko, A. (Alfred), 31S(30-31)

- British Simuliid Group Bulletin Index, Nos. 21-32 June 2003
- | | |
|--|---|
| Petric, D. (Dusan), 21(6-7), 23(5-6), 27S(16-17/21-22/29), 31S(6) | Strasevicius, D. (Darius), 23(12-13), 31S(34) |
| Petrova, N. (Ninel), 23(23-24), 31S(28) | Sukhomlin, E. (Ekateryna), 31S(34-35) |
| Petrozhitskaya, L. (Ludmila), 31S(18/31-32) | Swanson, D.A. (Dustin), 31S(16) |
| Pichler, M. (Markus), 31S(32) | Tele, B., 31S(11) |
| Pont, A. (Adrian), 21(7-9), 23(5-6/15-16), 31S(25) | Tierney, D. (Deirdre), 21(20-21) |
| Post, R. (Rory), 21(9-10), 23(10/13), 25(6-8), 27S(11-12/26-27), 28(17-21), 29(2), 31S(12/20/20-21/21) | Tirados, I. (Inaki), 23(5) |
| Pu, E. (Esmea), 31S(10) | Torres, J. (Javier), 21(13-14) |
| Raastad, J.E. (Jan), 23(13-14), 31S(16) | Traore, S., 31S(12) |
| Rebuck, D. (Dave), 31S(19) | Trodd, W. (Wayne), 21(20-21) |
| Reidelbach, J. (Joachim), 23(22) | Ubachukwu, P.O., 28(17-21) |
| Renier, A.M. (Antoine), 27S(18-19) | Unnasch, T.R. (Thomas), 27S(14-15) |
| Renz, A. (Alfons), 23(14-15/22-23), 27S(15-16) | Ussova, Z. (Zinaida), 31S(16-17/34-35/35) |
| Reva, M. (Marina), 31S(35-36) | Valdivieso-López, N.L. (Norma), 21(18-20) |
| Rodkina, V. (Vera), 31S(18/31-32) | Van der Merwe, C. (Chris), 31S(23-24) |
| Rodríguez-Pérez, M.A. (Mario), 21(18-20), 27S(14-15) | Villamizar, N.J. (Nestor), 23(6) |
| Rogg, H. (Helmuth), 21(13-14) | Vojvodic, S. (Svetlana), 27S(26) |
| Scheder, C. (Christian), 31S(32) | Vujanovic, L. (Ljuba), 27S(21-22) |
| Seitz, G. (Gunther), 23(24-25) | Wegner, E. (Elzbieta), 31S(10) |
| Séketeli, A.V.A., 31S(11) | Wahl, G. (Goetz), 27S(15-16) |
| Sevilla, C. (Christian), 21(13-14) | Wegner, E. (Elzbieta), 27S(30) |
| Shelley, T. [= A.J.] (Tony), 21(7), 23(8), 27S(6-7) | Werner, D. (Doreen), 21(7-9), 23(2-3/15-16/19-20/21), 25(9-13), 27(5-14), 27S(23-24/26-27), 31S(9/19/25), 32(3-5) |
| Sima, A. (Anacleto), 23(5), 31S((11/12) | Wetten, S. (Sally), 21(14-18) |
| Smith, S.M. (Stephen), 32(15-18) | Wilson, M.D. (Michael), 23(5), 27S(24-25), 29(2), 31S(11/12/21) |
| Somiari, S., 25(5-6) | Wotton, R. (Roger), 23(16-17), 31S(21-22) |
| Spungis, V. (Voldemars), 31S(33) | Yameogo, L., 31S(12) |
| Stloukalová, V. (Viera), 23(12/15), 27S(9), 31S(7) | Yankovsky, A. (Aleksey), 23(17), 27S(10), 31S(14-15) |
| | Zgomba, M. (Mariga), 21(6-7), 23(5-6), 27S(16-17/21-22/29), 31S(6) |
| | Zinchenko, O. (Olexandr), 31S(34-35) |
| | Zygutien, M. (Milda), 31S(27) |